

# Agvet chemical voluntary recall



Batch number at  
bottom of carton

## ilium Trisoprim-480 Anti-Bacterial Injection

APVMA registration number: 51143

APVMA approved label number: 132056

Batch number: 241057A

Sold by veterinary wholesalers in all states and territories between 06/12/2024 to 04/04/2025

On 04/04/2025, Troy Laboratories Pty Ltd (ABN: 000 283 769) initiated a voluntary recall under section 106 of the Agricultural and Veterinary Chemicals Code scheduled to the *Agricultural and Veterinary Chemicals Code Act 1994* (Cth) in relation to the chemical product described above.

### Reason for voluntary recall:

Some units of above-mentioned batch may not have a label on the bottle, although it is enclosed in a carton with all relevant product information.

### Hazard:

Unlabelled vials could potentially result in product being used for unintended purposes. However, vials without labels are easy to identify immediately. **If the vial is labelled, there is no risk, and the product does not need to be returned.**

### What to do:

Veterinary wholesalers and end users should check all stock on hand of batch 241057A for **affected units (i.e. unlabelled vials)**. If any unlabelled vials are found, please isolate the product and place in quarantine. Troy (contact details included below) will provide advice on management of affected units and arrangements for replacement.

### For further information

Please direct all calls and any queries concerning this voluntary recall to Troy Laboratories Customer Service, on 02 8808 3670.